

Cold Formed Circular Hollow Section

ASTM A - 500

Designation		Weight	Cross Sectional Area	Second Moment of Area	Radius of Gyration	Elastic Modulus	Plastic Modulus	Torsional inertia constant	Torsional modulus constant	Superficial Area per metre length	Nominal Length per tonne	Ratio for Local Buckling
Size	Thickness											
OD	T	M	A	I	r	Z	S	J	C	As	L	B/T
mm	mm	Kg/m	cm ²	cm ⁴	cm	cm ³	cm ³	cm ⁴	cm ³	m ² /m	m	
21.3	2.0	0.952	1.21	0.57	0.69	0.54	0.75	1.14	1.07	0.07	1050.56	10.65
21.3	2.5	1.159	1.48	0.66	0.67	0.62	0.89	1.33	1.25	0.07	862.80	8.52
21.3	3.0	1.354	1.72	0.74	0.66	0.70	1.01	1.48	1.39	0.07	738.64	7.10
26.9	2.0	1.228	1.56	1.22	0.88	0.91	1.24	2.44	1.81	0.08	814.29	13.45
26.9	2.5	1.504	1.92	1.44	0.87	1.07	1.49	2.88	2.14	0.08	664.78	10.76
26.9	3.0	1.768	2.25	1.63	0.85	1.21	1.72	3.27	2.43	0.08	565.57	8.97
33.7	2.0	1.563	1.99	2.51	1.12	1.49	2.01	5.02	2.98	0.11	639.61	16.85
33.7	2.5	1.923	2.45	3.00	1.11	1.78	2.44	6.00	3.56	0.11	519.89	13.48
33.7	3.0	2.271	2.89	3.44	1.09	2.04	2.84	6.88	4.08	0.11	440.30	11.23
42.4	2.0	1.993	2.54	5.19	1.43	2.45	3.27	10.38	4.90	0.13	501.88	21.20
42.4	2.5	2.460	3.13	6.26	1.41	2.95	3.99	12.52	5.91	0.13	406.53	16.96
42.4	3.0	2.915	3.71	7.25	1.40	3.42	4.67	14.49	6.84	0.13	343.08	14.13
42.4	4.0	3.788	4.83	8.99	1.36	4.24	5.92	17.98	8.48	0.13	264.01	10.60
48.3	2.0	2.284	2.91	7.81	1.64	3.23	4.29	15.62	6.47	0.15	437.92	24.15
48.3	2.5	2.824	3.60	9.46	1.62	3.92	5.25	18.92	7.83	0.15	354.16	19.32
48.3	3.0	3.351	4.27	11.00	1.61	4.55	6.17	22.00	9.11	0.15	298.39	16.10
48.3	4.0	4.370	5.57	13.77	1.57	5.70	7.87	27.54	11.40	0.15	228.85	12.08
48.3	5.0	5.339	6.80	16.15	1.54	6.69	9.42	32.31	13.38	0.15	187.30	9.66
60.3	2.0	2.875	3.66	15.58	2.06	5.17	6.80	31.16	10.34	0.19	347.78	30.15
60.3	2.5	3.563	4.54	18.99	2.05	6.30	8.36	37.99	12.60	0.19	280.63	24.12
60.3	3.0	4.239	5.40	22.22	2.03	7.37	9.86	44.45	14.74	0.19	235.90	20.10
60.3	4.0	5.553	7.07	28.17	2.00	9.34	12.70	56.35	18.69	0.19	180.07	15.08
60.3	5.0	6.818	8.69	33.48	1.96	11.10	15.33	66.95	22.21	0.19	146.66	12.06
76.1	2.0	3.655	4.66	31.98	2.62	8.40	10.98	63.96	16.81	0.24	273.63	38.05
76.1	2.5	4.537	5.78	39.19	2.60	10.30	13.55	78.37	20.60	0.24	220.39	30.44
76.1	3.0	5.408	6.89	46.10	2.59	12.11	16.04	92.19	24.23	0.24	184.91	25.37
76.1	4.0	7.112	9.06	59.06	2.55	15.52	20.81	118.11	31.04	0.24	140.61	19.03
76.1	5.0	8.767	11.17	70.92	2.52	18.64	25.32	141.84	37.28	0.24	114.07	15.22
76.1	6.0	10.372	13.21	81.76	2.49	21.49	29.56	163.52	42.97	0.24	96.41	12.68
76.1	6.3	10.844	13.81	84.82	2.48	22.29	30.78	169.64	44.58	0.24	92.22	12.08
88.9	2.0	4.286	5.46	51.57	3.07	11.60	15.11	103.14	23.20	0.28	233.32	44.45
88.9	2.5	5.327	6.79	63.37	3.06	14.26	18.67	126.75	28.51	0.28	187.74	35.56
88.9	3.0	6.355	8.10	74.76	3.04	16.82	22.15	149.53	33.64	0.28	157.36	29.63
88.9	4.0	8.375	10.67	96.34	3.00	21.67	28.85	192.68	43.35	0.28	119.41	22.23
88.9	5.0	10.345	13.18	116.37	2.97	26.18	35.24	232.75	52.36	0.28	96.67	17.78
88.9	6.0	12.266	15.63	134.94	2.94	30.36	41.31	269.88	60.72	0.28	81.53	14.82
88.9	6.3	12.833	16.35	140.24	2.93	31.55	43.07	280.47	63.10	0.28	77.93	14.11
101.6	2.0	4.912	6.26	77.63	3.52	15.28	19.84	155.26	30.56	0.32	203.57	50.80
101.6	2.5	6.110	7.78	95.61	3.50	18.82	24.56	191.22	37.64	0.32	163.68	40.64
101.6	3.0	7.294	9.29	113.04	3.49	22.25	29.17	226.07	44.50	0.32	137.09	33.87
101.6	4.0	9.627	12.26	146.28	3.45	28.80	38.12	292.57	57.59	0.32	103.87	25.40
101.6	5.0	11.911	15.17	177.47	3.42	34.93	46.70	354.94	69.87	0.32	83.96	20.32
101.6	6.0	14.145	18.02	206.68	3.39	40.68	54.91	413.35	81.37	0.32	70.70	16.93
101.6	6.3	14.806	18.86	215.07	3.38	42.34	57.30	430.13	84.67	0.32	67.54	16.13
114.3	2.5	6.892	8.78	137.26	3.95	24.02	31.25	274.52	48.03	0.36	145.09	45.72
114.3	3.0	8.234	10.49	162.55	3.94	28.44	37.17	325.10	56.88	0.36	121.45	38.10
114.3	4.0	10.880	13.86	211.07	3.90	36.93	48.69	422.13	73.86	0.36	91.91	28.58
114.3	5.0	13.477	17.17	256.92	3.87	44.96	59.77	513.84	89.91	0.36	74.20	22.86
114.3	6.0	16.024	20.41	300.21	3.83	52.53	70.45	600.42	105.06	0.36	62.41	19.05
114.3	6.3	16.779	21.38	312.71	3.82	54.72	73.57	625.43	109.44	0.36	59.60	18.14
114.3	8.0	20.971	26.72	379.49	3.77	66.40	90.57	758.98	132.81	0.36	47.69	14.29
139.7	3.0	10.113	12.88	301.09	4.83	43.11	56.07	602.18	86.21	0.44	98.88	46.57
139.7	4.0	13.385	17.05	392.86	4.80	56.24	73.68	785.72	112.49	0.44	74.71	34.93
139.7	5.0	16.609	21.16	480.54	4.77	68.80	90.76	961.08	137.59	0.44	60.21	27.94
139.7	6.0	19.782	25.20	564.26	4.73	80.78	107.33	1128.52	161.56	0.44	50.55	23.28
139.7	6.3	20.725	26.40	588.62	4.72	84.27	112.20	1177.24	168.54	0.44	48.25	22.17
139.7	8.0	25.982	33.10	720.29	4.66	103.12	138.93	1440.58	206.24	0.44	38.49	17.46

Cold Formed Circular Hollow Section

ASTM A - 500

Designation		Weight	Cross Sectional Area	Second Moment of Area	Radius of Gyration	Elastic Modulus	Plastic Modulus	Torsional inertia constant	Torsional modulus constant	Superficial Area per metre length	Nominal Length per tonne	Ratio for Local Buckling
Size	Thickness											
OD	T	M	A	I	r	Z	S	J	C	As	L	B/T
mm	mm	Kg/m	cm ²	cm ⁴	cm	cm ³	cm ³	cm ⁴	cm ³	m ² /m	m	
168.3	3.0	12.229	15.58	532.28	5.85	63.25	81.98	1064.57	126.51	0.53	81.77	56.10
168.3	4.0	16.207	20.65	697.09	5.81	82.84	108.00	1394.18	165.68	0.53	61.70	42.08
168.3	5.0	20.135	25.65	855.85	5.78	101.70	133.38	1711.69	203.41	0.53	49.67	33.66
168.3	6.0	24.014	30.59	1008.69	5.74	119.87	158.12	2017.39	239.74	0.53	41.64	28.05
168.3	6.3	25.168	32.06	1053.42	5.73	125.18	165.42	2106.84	250.37	0.53	39.73	26.71
168.3	8.0	31.624	40.29	1297.27	5.67	154.16	205.74	2594.54	308.32	0.53	31.62	21.04
168.3	10.0	39.037	49.73	1563.98	5.61	185.86	250.92	3127.97	371.71	0.53	25.62	16.83
177.8	4.0	17.144	21.84	825.09	6.15	92.81	120.85	1650.17	185.62	0.56	58.33	44.45
177.8	5.0	21.306	27.14	1013.97	6.11	114.06	149.34	2027.94	228.11	0.56	46.93	35.56
177.8	6.0	25.420	32.38	1196.22	6.08	134.56	177.16	2392.43	269.12	0.56	39.34	29.63
177.8	6.3	26.644	33.94	1249.62	6.07	140.56	185.38	2499.24	281.13	0.56	37.53	28.22
177.8	8.0	33.498	42.68	1541.44	6.01	173.39	230.83	3082.87	346.78	0.56	29.85	22.23
177.8	10.0	41.379	52.72	1861.98	5.94	209.45	281.90	3723.96	418.89	0.56	24.17	17.78
177.8	12.0	49.064	62.51	2159.06	5.88	242.86	330.45	4318.11	485.73	0.56	20.38	14.82
177.8	12.5	50.954	64.91	2229.79	5.86	250.82	342.20	4459.59	501.64	0.56	19.63	14.22
193.7	4.0	18.712	23.84	1072.79	6.71	110.77	143.97	2145.58	221.54	0.61	53.44	48.43
193.7	5.0	23.267	29.64	1320.23	6.67	136.32	178.08	2640.46	272.63	0.61	42.98	38.74
193.7	6.0	27.772	35.38	1559.72	6.64	161.05	211.46	3119.45	322.09	0.61	36.01	32.28
193.7	6.3	29.114	37.09	1630.05	6.63	168.31	221.33	3260.09	336.61	0.61	34.35	30.75
193.7	8.0	36.635	46.67	2015.54	6.57	208.11	276.05	4031.07	416.22	0.61	27.30	24.21
193.7	10.0	45.300	57.71	2441.59	6.50	252.10	337.79	4883.18	504.20	0.61	22.07	19.37
193.7	12.0	53.769	68.50	2839.20	6.44	293.15	396.75	5678.40	586.31	0.61	18.60	16.14
193.7	12.5	55.855	71.16	2934.31	6.42	302.97	411.07	5868.62	605.95	0.61	17.90	15.50
219.1	4.0	21.217	27.03	1563.84	7.61	142.75	185.09	3127.67	285.50	0.69	47.13	54.78
219.1	5.0	26.399	33.63	1928.04	7.57	176.00	229.24	3856.09	351.99	0.69	37.88	43.82
219.1	6.0	31.530	40.17	2281.95	7.54	208.30	272.54	4563.89	416.60	0.69	31.72	36.52
219.1	6.3	33.060	42.12	2386.14	7.53	217.81	285.37	4772.28	435.63	0.69	30.25	34.78
219.1	8.0	41.646	53.06	2959.63	7.47	270.16	356.68	5919.27	540.33	0.69	24.01	27.39
219.1	10.0	51.564	65.69	3598.44	7.40	328.47	437.56	7196.88	656.95	0.69	19.39	21.91
219.1	12.0	61.285	78.07	4199.88	7.33	383.38	515.26	8399.76	766.75	0.69	16.32	18.26
219.1	12.5	63.684	81.13	4344.58	7.32	396.58	534.20	8689.16	793.17	0.69	15.70	17.53
244.5	5.0	29.530	37.62	2698.58	8.47	220.74	286.84	5397.16	441.49	0.77	33.86	48.90
244.5	6.0	35.288	44.96	3198.53	8.43	261.64	341.37	6397.07	523.28	0.77	28.34	40.75
244.5	6.3	37.006	47.14	3346.03	8.42	273.70	357.54	6692.05	547.41	0.77	27.02	38.81
244.5	8.0	46.657	59.44	4160.45	8.37	340.32	447.63	8320.89	680.65	0.77	21.43	30.56
244.5	10.0	57.828	73.67	5073.15	8.30	414.98	550.24	10146.29	829.96	0.77	17.29	24.45
244.5	12.0	68.801	87.65	5938.34	8.23	485.75	649.25	11876.69	971.51	0.77	14.53	20.38
244.5	12.5	71.514	91.11	6147.42	8.21	502.86	673.45	12294.84	1005.71	0.77	13.98	19.56
273	5.0	33.044	42.10	3780.81	9.48	276.98	359.16	7561.63	553.97	0.86	30.26	54.60
273	6.0	39.505	50.33	4487.08	9.44	328.72	427.81	8974.17	657.45	0.86	25.31	45.50
273	6.3	41.434	52.79	4695.82	9.43	344.02	448.20	9391.65	688.03	0.86	24.13	43.33
273	8.0	52.279	66.60	5851.71	9.37	428.70	561.97	11703.43	857.39	0.86	19.13	34.13
273	10.0	64.856	82.62	7154.09	9.31	524.11	692.02	14308.19	1048.22	0.86	15.42	27.30
273	12.0	77.235	98.39	8396.14	9.24	615.10	818.03	16792.28	1230.20	0.86	12.95	22.75
273	12.5	80.299	102.30	8697.45	9.22	637.18	848.90	17394.90	1274.35	0.86	12.45	21.84
323.9	5.0	39.320	50.09	6369.42	11.28	393.30	508.53	12738.85	786.59	1.02	25.43	64.78
323.9	6.0	47.036	59.92	7572.47	11.24	467.58	606.43	15144.93	935.16	1.02	21.26	53.98
323.9	6.3	49.342	62.86	7928.90	11.23	489.59	635.56	15857.79	979.18	1.02	20.27	51.41
323.9	8.0	62.321	79.39	9910.08	11.17	611.92	798.51	19820.16	1223.84	1.02	16.05	40.49
323.9	10.0	77.408	98.61	12158.34	11.10	750.75	985.67	24316.68	1501.49	1.02	12.92	32.39
323.9	12.0	92.297	117.58	14319.56	11.04	884.20	1167.96	28639.12	1768.39	1.02	10.83	26.99
323.9	12.5	95.989	122.29	14846.53	11.02	916.74	1212.78	29693.06	1833.47	1.02	10.42	25.91

Cold Formed Circular Hollow Section

ASTM A - 500

Designation		Weight	Cross Sectional Area	Second Moment of Area	Radius of Gyration	Elastic Modulus	Plastic Modulus	Torsional inertia constant	Torsional modulus constant	Superficial Area per metre length	Nominal Length per tonne	Ratio for Local Buckling
Size	Thickness											
OD	T	M	A	I	r	Z	S	J	C	As	L	B/T
mm	mm	Kg/m	cm ²	cm ⁴	cm	cm ³	cm ³	cm ⁴	cm ³	m ² /m	m	
355.6	5.0	43.229	55.07	8463.58	12.40	476.02	614.64	16927.15	952.03	1.12	23.13	71.12
355.6	6.0	51.727	65.90	10070.55	12.36	566.40	733.39	20141.11	1132.80	1.12	19.33	59.27
355.6	6.3	54.267	69.13	10547.21	12.35	593.21	768.75	21094.41	1186.41	1.12	18.43	56.44
355.6	8.0	68.575	87.36	13201.37	12.29	742.48	966.78	26402.75	1484.97	1.12	14.58	44.45
355.6	10.0	85.225	108.57	16223.50	12.22	912.46	1194.73	32447.00	1824.92	1.12	11.73	35.56
355.6	12.0	101.678	129.53	19139.47	12.16	1076.46	1417.31	38278.95	2152.92	1.12	9.83	29.63
355.6	12.5	105.761	134.74	19852.18	12.14	1116.55	1472.12	39704.35	2233.09	1.12	9.46	28.45
355.6	16.0	133.993	170.70	24663.00	12.02	1387.12	1846.62	49326.00	2774.24	1.12	7.46	22.23
406.4	6.0	59.243	75.47	15128.33	14.16	744.50	961.99	30256.65	1489.01	1.28	16.88	67.73
406.4	6.3	62.159	79.19	15849.43	14.15	779.99	1008.59	31698.87	1559.98	1.28	16.09	64.51
406.4	8.0	78.596	100.13	19873.89	14.09	978.05	1269.95	39747.79	1956.09	1.28	12.72	50.80
406.4	10.0	97.752	124.53	24475.81	14.02	1204.52	1571.66	48951.63	2409.04	1.28	10.23	40.64
406.4	12.0	116.711	148.69	28937.01	13.95	1424.07	1867.19	57874.03	2848.13	1.28	8.57	33.87
406.4	12.5	121.420	154.68	30030.67	13.93	1477.89	1940.12	60061.33	2955.77	1.28	8.24	32.51
406.4	16.0	154.036	196.24	37448.82	13.81	1842.95	2439.96	74897.64	3685.91	1.28	6.49	25.40
457	6.0	66.730	85.01	21618.10	15.95	946.09	1220.48	43236.21	1892.18	1.44	14.99	76.17
457	6.3	70.020	89.20	22654.16	15.94	991.43	1279.81	45308.32	1982.86	1.44	14.28	72.54
457	8.0	88.579	112.85	28446.36	15.88	1244.92	1612.98	56892.73	2489.83	1.44	11.29	57.13
457	10.0	110.230	140.43	35091.32	15.81	1535.73	1998.42	70182.65	3071.45	1.44	9.07	45.70
457	12.0	131.684	167.76	41556.30	15.74	1818.66	2376.88	83112.60	3637.31	1.44	7.59	38.08
457	12.5	137.017	174.55	43144.80	15.72	1888.18	2470.40	86289.61	3776.35	1.44	7.30	36.56
457	16.0	174.001	221.67	53959.38	15.60	2361.46	3113.06	107918.76	4722.92	1.44	5.75	28.56